
Product Datasheet

AC807GE

Metal shell full Gigabit 8-port AC gateway



1、 PRODUCT OVERVIEW AND FEATURES

Product overview:

AC807GE is a full Gigabit high-performance smart wifi certified gateway. It has three-in-one functions of AC management, gateway, and POE power supply. It can realize unified configuration and management of wireless APs and meet the export gateway needs of small and medium-sized enterprises. It is an ideal choice for hotel chains, enterprises, schools, shopping malls, restaurants, etc. wireless The network solution achieves optimal layout and simple configuration. The product also supports intelligent flow control function. It intelligently selects priorities according to application types and easily solves the problem of network bandwidth occupied by various P2P programs. It has high performance, high reliability, easy installation, The easy maintenance feature greatly saves manpower and material costs in network layout.

Product features:

- MT7621 Dual-core, 880MHz CPU
- 256MB high-speed memory, 16MB flash memory
- 8×1000Mbps RJ45 port
- Support POE output function
- Up to 100 + sets AP access at the same time

-
- Up to 256 + people can surf the Internet at the same time
 - Support online behavior management and effectively supervise the network
 - Intelligent flow control, seamless roamin

Hardware specifications

Model	AC807GE
CPU	MTK MT7621
Flash	16MB
Memory	256MB
Maximum number of managed AP's supported	80
Recommended maximum number of users	120
Interface	<p>1×10 / 100 / 1000M Adaptive Ethernet WAN port</p> <p>7×10 / 100 / 1000M Adaptive Ethernet LAN ports</p> <p>1 reset bond</p> <p>1 DC 52V 1.5A</p> <p>Support POE power supply: maximum 30W</p> <p>Support a variety of authentication methods</p> <p>Support PPPoE</p>
Reset	reset (Press and hold for 10 seconds to restore factory default configuration)
Status light	WAN port lamp, LAN port lamp,
Operating power	< 80W
Dimension (L*W*H)	190*95*30mm
Net/Gross Weight	<0.45kg / <0.76kg
Work environment	<p>Working temperature: -40° C~65° C</p> <p>Storage temperature: -40° C~70° C</p> <p>Humidity: 5% ~ 95% (no condensation)</p>

2、 TECHNICAL SPECIFICATION

3、 CONTACT US




Tel: 0086-752-3397806

WeChat: HZGWS--PoE

Email: hzgws@hgzws.com

Skype: [hzgws@hgzws.com](https://www.skype.com/people/hzgws@hgzws.com)

Website: www.hzgws.com



Address: Building 3, Phase II, Xinghe Artificial Intelligence Industrial Park, No.333 Zhongkai 6th Road,
Chenjiang Street, Zhongkai High-tech Zone, Huizhou